



6" DELPRO STRONG-WALL™

Concrete Form Assembly System

Horizontal 'Push-Click' Installation

DelPro Strong-Wall™ offers a cost-effective alternative to traditional concrete wall construction, introducing a groundbreaking approach to wall-forming. Each joint in this innovative system includes an optional built-in flexible seal to prevent unwanted liquid and gas penetration.

These stay-in-place forms are crafted from highly durable PVC and are filled with pre-mixed concrete and rebar reinforcement, resulting in an exceptionally strong wall that is energy-efficient, sound-reflective, and highly resistant to extreme weather conditions.

Unlike similar systems, DelPro Strong-Wall™ is designed for easier handling and assembly. The interlocking horizontal design of the forms and spacers eliminates the need for heavy lifting—simply 'push and click' the pieces together for quick and effortless wall construction.

QUICK & FAST WALL ASSEMBLY

KEY ADVANTAGES OF 6" DELPRO STRONG-WALL™

- Horizontal 'Push-n-Click' Install System
- Unique 3-Piece Corner Assembly
- Highly Resistant to Strong Winds & Fire
- Energy & Installation Cost Savings
- Low Maintenance & Easy-to-Clean
- Ideal for Above Grade Walls



Revolutionary, Innovative, Easier to Install

DelPro Strong-Wall™ is an advanced stay-in-place concrete form system designed for effortless assembly. Its innovative interlocking mechanism enables a seamless horizontal push-and-click installation, eliminating the usual hassles. With a 6-inch core, it is commonly used for above-grade commercial wall applications, particularly for walls constructed on slabs.

The new and revolutionary concrete form assembly system



6" Form



2.25" Spacer



1.75" Spacer



6" Cap



Female Starter



Male Starter

The 3-piece corner makes installing a corner simple. It allows for easy fitment and access to all rebars. The design was created to resolve installer and inspector's worst nightmare



3 pc Corner
(inside assembled)



3 pc Corner
(apart)



3 pc Corner
(assembled)

6" DelPro Strong-Wall™ Standard Color Chart



WHITE



BEIGE




GRAY



DelPro Strong-Wall™ is Revolutionary
Horizontal (push-click) installation.



DelPro Strong-Wall™ is Innovative
Leakage is eliminated because webs are not back to back.



DelPro Strong-Wall™ is Easier
9" width accommodates the vertical rebar placement spacing of 18" perfectly.



8" DELPRO STRONG-WALL™

Concrete Form Assembly System

Horizontal 'Push-Click' Installation

DelPro Strong-Wall™ is an innovative and cost-effective alternative to traditional concrete wall construction. These stay-in-place forms are made from highly durable PVC and filled with pre-mixed concrete and rebar reinforcement, resulting in an exceptionally strong, energy-efficient, and sound-reflective wall that excels in storm-prone environments.

Unlike other systems, DelPro Strong-Wall™ is designed for easy handling and quick installation. The horizontal interlocking design of the forms and spacers eliminates the need for lifting—simply push and click the pieces together for a seamless assembly.

Each form measures nine inches in length, allowing for an ideal vertical rebar spacing of eighteen inches, making the system more convenient to work with than similar products.

Additionally, DelPro Strong-Wall™ features a unique two-piece corner, streamlining corner installations and ensuring easy access to all rebar. This thoughtful design was created to eliminate common challenges faced by both installers and inspectors.

QUICK & FAST WALL ASSEMBLY

KEY ADVANTAGES OF 8" DELPRO STRONG-WALL™

- Horizontal 'Push-n-Click' Install System
- Unique 2-Piece Corner Assembly
- Energy & Installation Cost Savings
- Low Maintenance & Easy-to-Clean
- A Great Option for Below-Grade Walls
- With or Without Insulation



Revolutionary, Innovative, Easier to Install

DelPro Strong-Wall™ is an innovative stay-in-place concrete form system designed for seamless assembly. Its advanced interlocking design enables effortless horizontal push-and-click installation, eliminating common construction challenges. Featuring an 8-inch core, this system is ideal for above-grade commercial projects requiring thicker walls for added structural support at greater heights. It is available with or without insulating faces and also serves as an excellent choice for below-grade residential wall applications.

The new and revolutionary concrete form assembly system



8" Form
(8" Concrete)



4.5" Spacer



2.5" Spacer



8" Cap



Female Starter



Male Starter

8" DelPro Strong-Wall™ Standard Color Chart



WHITE



BEIGE




GRAY



DelPro Strong-Wall™ is Revolutionary
Horizontal (push-click) installation.



DelPro Strong-Wall™ is Innovative
Leakage is eliminated because
webs are not back to back.



DelPro Strong-Wall™ is Easier
9" width accommodates the vertical rebar
placement spacing of 18" perfectly.